


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"6697447"	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/08/30 14:47
L2	962	376/245	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:47
L3	22	2 and load with line	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:50
L4	110	376/246	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:51
L5	2	4 and load adj line	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:50
L6	237	376/217	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:51
L7	1	6 and load adj line	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:51
L8	303	376/259	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:52
L9	1	8 and load adj line	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:51
L10	424	376/216	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:52
L11	1	10 and load adj line	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2005/08/30 14:52

**Web**Results **51 - 60** of about **68,200** for **reactor maximum extended load line**. (0.10 seconds)**Lunar Mars Life Support Test Program**

Oxygen concentration was maintained below a **maximum** level of 23% by ... The primary probe was located in the **reactor** vessel; a second in-**line** probe was ...

advlifesupport.jsc.nasa.gov/ Reports/Phase3/07_LMLSTP.html - 23k - [Cached](#) - [Similar pages](#)

Sponsored Links**Line/Load Reactors & More**

MTE Corp. & R-K, Authorized Source
Toll Free - 1-877-983-1100
www.e-kinetics.com

[PDF] FSA Environmental Awards Entry Participating Team Participant ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

would handle the extreme conditions of the **reactor**, stabilize and maintain an. extreme **load** over an **extended** period of time. The task consisted of the ...

www.fluidsealing.com/awards/1.pdf - [Similar pages](#)

Lake and Water Word Glossary - L

[3] Peak **Load** = Literally, the **maximum load** in a stated period of time. ... **LOAD LINE**—

The **line** on a ship indicating the depth to which it sinks in the water ...

www.nalms.org/glossary/lkword_l.htm - 71k - [Cached](#) - [Similar pages](#)

[PDF] LER 28794002 Y94: Reactor Trip From Blown Control System Fuse Due ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

System is powered from non **load**-shed 600v motor control centers and is. required by Technical Specifications to be operable if the **reactor** is ...

nrcoc.inel.gov/results/index.cfm?fuseaction=LERSearch.showLerX&lerNum=2871994002 - [Similar pages](#)

[PDF] SED2 Bypass

File Format: PDF/Adobe Acrobat - [View as HTML](#)

3% **Line** (in NEMA 1 enclosure) supplied. separately. • **Load reactor** mounted in bypass enclosure ... VFD with Bypass Ratings Tables. (**Maximum Full Load Amps**) ...

www.sbt.siemens.com/sbttemplates/library/pdf/153-170P25.pdf - [Similar pages](#)

[PDF] Steady State Operation Research in JT-60U with Extended Pulse Length

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In order to realize a steady-state tokamak fusion **reactor**, sustainment of high ... and EC, the possible **maximum** duration has been **extended** up to 60 s. ...

www.ipr.res.in/tmsso/proceedings/papers/Plenary/Fujita-T_P-LP.2.pdf - [Similar pages](#)

[PDF] MCRs and ISIL Lines Enhance Transmission Capability

File Format: PDF/Adobe Acrobat - [View as HTML](#)

voltage can be transmitted even through **extended** power lines. ... Magnetic **reactor** control is based on low-power magnetic biasing, and does not require a ...

cerc-reactors.com/articles/MCRs%20081101%20nsf-epri.pdf - [Similar pages](#)

[PDF] A High-Aspect-Ratio Design for the International Thermonuclear ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Thermonuclear Engineering **Reactor** (ITER) design variant. developed by the U. S. ITER Team - are ... **maximum** neutron wall loading attainable for ITER CDA is ...

fire.pppl.gov/iter_us_%20hard_1992.pdf - [Similar pages](#)


ISA | Model application

Developers built the model in two versions, basic and **extended**. ... The values of the TO **reactor** pressure and the scrubber pressure drops were also within ...
www.isa.org/.../ContentManagement/ContentDisplay.cfm&ContentID=33850 - 53k -
[Cached](#) - [Similar pages](#)

[PDF] A three-dimensional model for inductively coupled plasma etching ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **load** lock bay is an opening, in the outer wall of the **reactor** having an **extended** sized to ... local **maximum** in the opening to the **load** lock bay. This ...
uigelz.ece.iastate.edu/pub/articles/jap_80_1337_1996.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google